

| SECTION  | PAGE   |      |
|----------|--|------|
| 4        | Effect of secretin and cholecystokinin on gastric motility. <i>Sugawara, K., J. Isaza, J. Curt, and E. R. Woodward</i> . . . . .   | 1633 |
| 4, 8     | Active transport of tertiary amine compounds into bile. <i>Nayak, P. K., and L. S. Shanker</i> . . . . .   | 1639 |
| 1, 11    | Influence of vascular smooth muscle on contractile mechanics and elasticity of arteries. <i>Dobrin, P. B., and A. A. Rovick</i> . . . . .                                | 1644 |
| 1, 8     | Role of atrium in closure of mitral valve in man. <i>Zaky, A., E. Steinmetz, and H. Feigenbaum</i> . . . . .   | 1652 |
| 1, 3, 9  | Cerebral and renal vascular smooth muscle responses to adenosine. <i>Buyinski, J. P., and C. E. Rapela</i> . . . . .   | 1660 |
| 8, 11    | Dynamics of stress relaxation in skeletal muscle. <i>Little, R. C.</i> . . . . .   | 1665 |
| 1, 3, 5  | Left atrial pressure, plasma osmolality, and ADH levels in the unanesthetized ewe. <i>Zehr, J. E., J. A. Johnson, and W. W. Moore</i> . . . . .                          | 1672 |
| 9        | Central nervous system modulation of baroreceptor reflexes. <i>Hockman, C. H., J. Talesnik, and K. E. Livingston</i> . . . . .   | 1681 |
| 5        | Circulating glucose, insulin, free fatty acids, and acetone bodies in rats given propranolol. <i>Åkerblom, H. K., J. M. Martin, and H. E. Cingolani</i> . . . . .        | 1690 |
| 1, 5     | Nutritional effects on blood flow in adipose tissue of unanesthetized rats. <i>Mayerle, J. A., and R. J. Havel</i> . . . . .   | 1694 |
| 1, 3, 5  | Interstitial cell granules and solutes in renal papilla in post-Goldblatt hypertension. <i>Tobian, L., and M. Ishii</i> . . . . .  | 1699 |
| 5, 9     | Serotonin mediation of circadian periodicity of plasma 17-hydroxycorticosteroids. <i>Krieger, D. T., and F. Rizzo</i> . . . . .  | 1703 |
| 1, 3     | Intrarenal blood flow and PAH extraction during angiotensin infusion. <i>Carrière, S., and J. Friborg</i> . . . . .  | 1708 |
| 1, 11    | Hemodynamic response to dopamine in experimental myocardial infarction. <i>Wintroub, B. U., J. S. Schroeder, M. Schroll, S. L. Robison, and D. C. Harrison</i> . . . . . | 1716 |
| 3, 4     | Na <sup>+</sup> -K <sup>+</sup> -activated ATPase and exocrine pancreatic secretion in vitro. <i>Ridderstap, A. S., and S. L. Bonting</i> . . . . .                      | 1721 |
| 4        | Electrolyte transport and voltage measurements with rat intestine in vitro. <i>McKenney, J. R., and M. F. Sullivan</i> . . . . .   | 1728 |
| 1, 3, 11 | Change in calcium dependence of isolated arteries after reserpine. <i>Pegram, B. L., and O. Carrier, Jr.</i> . . . . .   | 1736 |
| 1        | Mechanism of systemic hemodynamic response during limb reactive hyperemia. <i>Zelis, R., and D. T. Mason</i> . . . . .   | 1742 |
| 1, 4     | Intestinal absorption of digoxin- <sup>3</sup> H in the rat. <i>Caldwell, J. H., J. F. Martin, S. Dutta, and N. J. Greenberger</i> . . . . .                             | 1747 |
| 1, 8     | Lactate and pyruvate kinetics in isolated perfused rat hearts. <i>Henderson, A. H., R. J. Craig, R. Gorlin, and E. H. Sonnenblick</i> . . . . .                          | 1752 |
| 4        | A migrating electric complex of the canine small intestine. <i>Szurszewski, J. H.</i> . . . . .  | 1757 |
| 5, 8, 9  | An effect of isoproterenol on rates of synthesis and secretion of testosterone. <i>Eik-Nes, K. B.</i> . . . . .  | 1764 |
| 4, 9     | Gastric secretory and motor responses to anterior hypothalamic stimulation. <i>Mason, G. R., and T. S. Nelson</i> . . . . .  | 1771 |
| 5        | Fluid compartments of islet and other tissues of the toadfish <i>Opsanus tau</i> . <i>Cooperstein, S. J., and A. Lazarow</i> . . . . .                                   | 1776 |
| 5        | Uptake of glucose by islet of Langerhans and other tissues of the toadfish <i>Opsanus tau</i> . <i>Cooperstein, S. J., and A. Lazarow</i> . . . . .                      | 1784 |
| 1        | Location of synaptic connections in canine sympathetic cardiac innervation. <i>Wechsler, J. S., J. B. Pace, J. M. Goldberg, and W. C. Randall</i> . . . . .              | 1789 |
| 1, 5, 11 | Effects of growth hormone and insulin on amino acid transport in perfused rat heart. <i>Hjalmarson, Å, O. Isaksson, and K. Åhrén</i> . . . . .                           | 1795 |
| 5        | Role of free fatty acids in stimulation of gluconeogenesis during fasting. <i>Schimmel, R. J., and E. Knobil</i> . . . . .   | 1803 |
| 1, 3, 8  | Physiology of pump-perfused in situ dog kidney. <i>Wolf, G. L., R. G. Dluhy, and D. P. Lauler</i> . . . . .  | 1809 |
| 1, 9, 11 | Electrophysiological properties of <i>Limulus</i> heart and effect of drugs. <i>Parnas, I., B. C. Abbott, and F. Lang</i> . . . . .                                      | 1814 |
| 4        | Metabolism of exogenous histamine- <sup>14</sup> C during gastric secretion in dogs. <i>Navert, H., E. V. Flock, G. M. Tyce, and C. F. Code</i> . . . . .                | 1823 |
| 4, 5, 8  | Depression of feed intake of goats by metabolites injected during meals. <i>Baile, C. A., and J. Mayer</i> . . . . .   | 1830 |
| 1        | Vascular responses to stimulation of pulmonary and carotid baroreceptors by capsaicin. <i>Brender, D., and M. M. Webb-Peploe</i> . . . . .                               | 1837 |
| 5, 7     | Effects of insulin on extracellular-intracellular amino acid pools in the cayman. <i>Hernandez, T., and R. A. Coulson</i> . . . . .                                      | 1846 |

## CORRIGENDA

*Volume 216, May 1969*

Page 1069: B. B. Howe and M. M. Winbury, "Effect of acute coronary occlusion on myocardial nutritional circulation in swine." Page 1071: figures 2 and 3 should be reversed.

*Volume 216, June 1969*

Page 1525: C. J. Parli et al., "Pyruvate metabolism in mammalian liver." Page 1532: the journal reference in item 43 should read *J. Biol. Chem.* 238: 17-20, 1963.

*Volume 217, September 1969*

Page 798: B. G. Zimmerman et al., "Transmitter release and vascular responses in skin and muscle of hypertensive dogs." Page 801: the values of 9.1 and 12.9 cm<sup>2</sup> for the areas of the vasoconstrictor responses in Table 3 were indicated previously as not being significantly different. These values differ significantly at the *P* < 0.05 level.